fraserhealth

Better health.
Best in health care.

July 16, 2026 FHA File: 26-1339

Via email: ***kristen@secondstreet.org***

Dear Kristen Schulz:

Re: ***Freedom of Information and Protection of Privacy Act*** **(FIPPA) Request – Fraser Health** 26-1339

I am writing in response to your FIPPA request made to Fraser Health on April 30, 2026. Specifically, you requested the following information:

> *"1) Please provide data on the number of patients that died while on a waiting list for either a diagnostic scan or a consultation with a specialist in fiscal year 2025-26. Please break the data out by scan/consultation and case info – date the patient went on the waiting list, date for the meeting with a specialist or date for diagnostic scan (if scheduled), and date of cancellation. Please also note the government's target time for providing the consultation or scan in question. (Note: many hospitals/health regions were able to identify such cases as they track the reason for cancelled operations). The timeframe for this request is April 1, 2025 to March 31, 2026*
>
> *2) Please provide data on the number of patients that died while on a waiting list for surgery or a procedure in fiscal year 2025-26. Please break the data out by procedure/surgery and case info - date the patient was referred to a specialist, decision date, date for the procedure and date of cancellation. Please also note the government's target time for providing the procedure in question. (Note: many hospitals/health regions were able to identify such cases as they track the reason for cancelled operations). Date range: April 1, 2025 to March 31, 2026"*

After conducting a search for records, 35 pages were found in response to your request. The records have been severed pursuant to the following section(s) of FIPPA:

- **s.22** (**Disclosure harmful to personal privacy) -** must refuse to disclose personal information to an applicant if the disclosure would be an unreasonable invasion of a third party's personal privacy.

Should you wish, you may ask the Information and Privacy Commissioner to review Fraser Health's response. You have 30 business days from receipt of this notice to request a review in writing to the Office of the Information and Privacy Commissioner.

Fraser Health Authority
Corporate Office
FOI Team

Suite 400 – Central City Tower
13450 - 102nd Avenue
Surrey, BC V3T 0H1

VM (236)-484-1479
Fax (604)-587-4666
www.fraserhealth.ca

Detailed information on how to request a review by the OIPC is available on the OIPC website: http://www.oipc.bc.ca.

If you have any questions or require any clarification regarding the processing of your request, please email the author of this letter at zoe.hock@fraserhealth.ca.

Sincerely,

Zoe Hock

Zoe Hock
Advisor
Freedom of Information
Fraser Health Authority

FHA # of patients Cancelled when Cancelled reason = EXP (Deceased)
Data range 1 year retro from May 29th 2026
Total Count = 1516
Data source: Meditech CS, Expanse

Modality/Category	Total	% Waited > 24 Weeks
BD	57	19.3
CT	590	12.4
DM	25	16.0
EC	100	11.0
MR	137	20.4
NM	64	1.6
RS	297	2.7
US	206	17.5
XR	20	10.0
RA	13	0.0
MM	S. 22	20.0
FL		50.0
Grand Total	1516	

The data is broken down by
- Procedure
- Date Requisition was received
- Date Appointment was scheduled
- Date Appointment was cancelled
**Note: The data is provided for one year May 29th, 2025 - May 29th 2026*
**Note: Cancellation Date is not reflective of deceased date*
**If a patient has appointments canceled across different modalities, they have been* counted multiple times for this data pull
**This set of data only includes booked patients.*
**Wait Time (days)= Cancellation Date - First Event Date*

Modality Prefix	First Event	Appt Date	Cancel Event	Wait Time(Days)	Wait Time>168 days
US		S. 22		167	FALSE
RS				70	FALSE
EC				82	FALSE
CT				39	FALSE
RS				12	FALSE
EC				0	FALSE
BD				94	FALSE
CT				14	FALSE
CT				247	TRUE
CT				348	TRUE
EC				129	FALSE
MR				314	TRUE
CT				58	FALSE
US				113	FALSE
CT				47	FALSE
CT				450	TRUE
US				136	FALSE
CT				64	FALSE
MR				8	FALSE
CT				6	FALSE
RS				6	FALSE
MR				127	FALSE
RS				52	FALSE
MR				38	FALSE
CT				80	FALSE
MR				307	TRUE
RS				35	FALSE
CT				19	FALSE
US				10	FALSE
MR				148	FALSE
MR				2	FALSE
CT				2	FALSE
RS				5	FALSE
MR				21	FALSE
BD				316	TRUE
DM				40	FALSE
CT				103	FALSE
MR				5	FALSE
EC				9	FALSE
BD				205	TRUE
CT				16	FALSE
EC				5	FALSE
MR				373	TRUE
CT				10	FALSE
CT				250	TRUE

	S. 22		
US		47	FALSE
EC		46	FALSE
US		98	FALSE
US		32	FALSE
CT		28	FALSE
MR		24	FALSE
US		34	FALSE
DM		100	FALSE
MR		16	FALSE
CT		38	FALSE
CT		42	FALSE
CT		37	FALSE
CT		14	FALSE
RS		1	FALSE
MR		185	TRUE
US		312	TRUE
CT		35	FALSE
CT		102	FALSE
BD		156	FALSE
CT		92	FALSE
US		16	FALSE
CT		34	FALSE
US		212	TRUE
CT		21	FALSE
US		221	TRUE
DM		223	TRUE
MR		273	TRUE
EC		142	FALSE
US		10	FALSE
CT		52	FALSE
BD		18	FALSE
CT		27	FALSE
CT		9	FALSE
RS		12	FALSE
US		1	FALSE
MR		544	TRUE
MR		544	TRUE
EC		112	FALSE
US		36	FALSE
BD		115	FALSE
NM		76	FALSE
CT		87	FALSE
CT		37	FALSE
CT		204	TRUE
CT		58	FALSE
CT		17	FALSE

	S. 22		
CT		68	FALSE
CT		22	FALSE
CT		1	FALSE
RS		6	FALSE
RS		1	FALSE
CT		79	FALSE
DM		63	FALSE
CT		40	FALSE
CT		73	FALSE
RS		8	FALSE
US		93	FALSE
RS		55	FALSE
CT		279	TRUE
BD		106	FALSE
CT		113	FALSE
MR		153	FALSE
NM		46	FALSE
EC		40	FALSE
RA		4	FALSE
RS		3	FALSE
CT		95	FALSE
BD		60	FALSE
CT		41	FALSE
CT		308	TRUE
MR		69	FALSE
CT		53	FALSE
CT		42	FALSE
CT		210	TRUE
BD		41	FALSE
CT		4	FALSE
CT		24	FALSE
US		285	TRUE
CT		125	FALSE
US		314	TRUE
CT		210	TRUE
CT		177	TRUE
CT		47	FALSE
MR		36	FALSE
CT		5	FALSE
BD		40	FALSE
CT		13	FALSE
US		10	FALSE
RS		14	FALSE
US		316	TRUE
CT		135	FALSE
NM		88	FALSE

	S. 22		
US		60	FALSE
MR		56	FALSE
RS		45	FALSE
RS		3	FALSE
CT		195	TRUE
US		117	FALSE
NM		84	FALSE
CT		48	FALSE
CT		75	FALSE
CT		70	FALSE
CT		7	FALSE
CT		29	FALSE
EC		69	FALSE
US		55	FALSE
US		37	FALSE
CT		15	FALSE
US		301	TRUE
US		37	FALSE
CT		17	FALSE
NM		0	FALSE
CT		572	TRUE
MM		54	FALSE
US		54	FALSE
MR		119	FALSE
CT		39	FALSE
BD		48	FALSE
CT		14	FALSE
BD		170	TRUE
US		207	TRUE
CT		70	FALSE
CT		82	FALSE
CT		34	FALSE
RS		83	FALSE
US		206	TRUE
US		178	TRUE
US		171	TRUE
NM		76	FALSE
BD		58	FALSE
CT		51	FALSE
NM		73	FALSE
EC		0	FALSE
CT		43	FALSE
US		351	TRUE
CT		23	FALSE
EC		57	FALSE
MR		8	FALSE

	S. 22		
US		251	TRUE
CT		230	TRUE
CT		139	FALSE
DM		93	FALSE
RS		168	FALSE
CT		160	FALSE
CT		104	FALSE
CT		23	FALSE
RS		25	FALSE
CT		23	FALSE
RS		52	FALSE
RS		68	FALSE
CT		166	FALSE
RS		7	FALSE
CT		5	FALSE
CT		394	TRUE
EC		13	FALSE
NM		60	FALSE
US		5	FALSE
CT		96	FALSE
EC		64	FALSE
CT		25	FALSE
EC		49	FALSE
RS		29	FALSE
RS		28	FALSE
US		13	FALSE
CT		54	FALSE
RS		40	FALSE
CT		40	FALSE
RA		5	FALSE
EC		54	FALSE
DM		5	FALSE
NM		4	FALSE
MR		8	FALSE
EC		328	TRUE
US		0	FALSE
US		154	FALSE
MR		17	FALSE
RS		10	FALSE
NM		5	FALSE
US		124	FALSE
MR		6	FALSE
EC		171	TRUE
CT		31	FALSE
MR		6	FALSE
RS		39	FALSE

	S. 22		
RA		5	FALSE
CT		197	TRUE
US		14	FALSE
CT		52	FALSE
CT		22	FALSE
CT		55	FALSE
CT		16	FALSE
RA		0	FALSE
CT		61	FALSE
CT		47	FALSE
CT		95	FALSE
CT		276	TRUE
CT		81	FALSE
US		24	FALSE
CT		83	FALSE
XR		91	FALSE
CT		52	FALSE
CT		37	FALSE
NM		1	FALSE
RS		47	FALSE
RS		5	FALSE
US		48	FALSE
MR		11	FALSE
EC		144	FALSE
CT		138	FALSE
RS		19	FALSE
US		20	FALSE
CT		232	TRUE
NM		76	FALSE
MR		145	FALSE
MR		2	FALSE
DM		125	FALSE
CT		79	FALSE
CT		25	FALSE
CT		18	FALSE
RS		28	FALSE
MR		33	FALSE
RS		21	FALSE
RS		2	FALSE
MR		84	FALSE
CT		50	FALSE
CT		107	FALSE
CT		24	FALSE
RS		24	FALSE
MR		17	FALSE
MR		33	FALSE

	S. 22		
BD		231	TRUE
RS		40	FALSE
RS		6	FALSE
DM		56	FALSE
CT		42	FALSE
CT		26	FALSE
MR		9	FALSE
EC		14	FALSE
MR		132	FALSE
CT		16	FALSE
MR		0	FALSE
DM		44	FALSE
CT		55	FALSE
RS		1	FALSE
RS		2	FALSE
CT		49	FALSE
CT		47	FALSE
RA		1	FALSE
RS		1	FALSE
CT		221	TRUE
MR		71	FALSE
CT		113	FALSE
EC		83	FALSE
XR		51	FALSE
CT		36	FALSE
CT		31	FALSE
RS		31	FALSE
EC		62	FALSE
CT		29	FALSE
CT		15	FALSE
RS		31	FALSE
EC		10	FALSE
CT		17	FALSE
CT		323	TRUE
US		102	FALSE
CT		68	FALSE
CT		7	FALSE
RS		39	FALSE
DM		33	FALSE
US		33	FALSE
RS		25	FALSE
CT		8	FALSE
US		92	FALSE
CT		64	FALSE
DM		33	FALSE
US		33	FALSE

	S. 22		
RS		12	FALSE
CT		73	FALSE
CT		41	FALSE
CT		19	FALSE
MR		183	TRUE
CT		82	FALSE
RS		79	FALSE
MR		1	FALSE
CT		236	TRUE
BD		46	FALSE
BD		106	FALSE
US		57	FALSE
CT		18	FALSE
CT		3	FALSE
CT		43	FALSE
CT		35	FALSE
NM		142	FALSE
CT		46	FALSE
RS		28	FALSE
CT		48	FALSE
RS		14	FALSE
US		189	TRUE
US		286	TRUE
EC		130	FALSE
MR		145	FALSE
US		35	FALSE
CT		52	FALSE
CT		29	FALSE
CT		27	FALSE
CT		19	FALSE
EC		1	FALSE
RS		52	FALSE
CT		111	FALSE
RS		75	FALSE
MR		15	FALSE
BD		62	FALSE
CT		12	FALSE
US		51	FALSE
XR		34	FALSE
RS		12	FALSE
US		167	FALSE
MR		180	TRUE
CT		74	FALSE
CT		12	FALSE
CT		42	FALSE
CT		39	FALSE

	S. 22		
CT		35	FALSE
RS		17	FALSE
US		229	TRUE
EC		85	FALSE
BD		102	FALSE
CT		90	FALSE
RS		1	FALSE
RS		12	FALSE
BD		13	FALSE
CT		91	FALSE
RS		22	FALSE
CT		2	FALSE
RS		24	FALSE
CT		41	FALSE
CT		14	FALSE
MR		332	TRUE
US		307	TRUE
RS		26	FALSE
CT		34	FALSE
RS		44	FALSE
NM		15	FALSE
US		235	TRUE
CT		64	FALSE
CT		4	FALSE
BD		194	TRUE
CT		49	FALSE
CT		84	FALSE
CT		36	FALSE
CT		16	FALSE
CT		34	FALSE
US		135	FALSE
CT		13	FALSE
RS		51	FALSE
CT		16	FALSE
US		16	FALSE
NM		4	FALSE
XR		60	FALSE
CT		9	FALSE
MR		9	FALSE
EC		7	FALSE
MR		52	FALSE
US		167	FALSE
MR		211	TRUE
CT		117	FALSE
CT		9	FALSE
CT		91	FALSE

	S. 22		
MR		28	FALSE
CT		189	TRUE
BD		138	FALSE
CT		126	FALSE
RS		12	FALSE
CT		13	FALSE
CT		5	FALSE
RS		1	FALSE
EC		175	TRUE
BD		98	FALSE
CT		28	FALSE
CT		142	FALSE
CT		76	FALSE
CT		31	FALSE
RS		4	FALSE
CT		55	FALSE
US		10	FALSE
RS		0	FALSE
EC		137	FALSE
CT		106	FALSE
CT		38	FALSE
CT		54	FALSE
BD		37	FALSE
RS		40	FALSE
US		122	FALSE
MR		4	FALSE
MR		51	FALSE
CT		11	FALSE
CT		3	FALSE
CT		20	FALSE
CT		189	TRUE
DM		42	FALSE
CT		56	FALSE
MR		63	FALSE
RA		1	FALSE
RS		47	FALSE
CT		40	FALSE
XR		40	FALSE
CT		86	FALSE
CT		28	FALSE
CT		23	FALSE
EC		15	FALSE
US		91	FALSE
CT		178	TRUE
CT		20	FALSE
EC		150	FALSE

	S. 22		
RS		189	TRUE
CT		76	FALSE
CT		21	FALSE
BD		68	FALSE
CT		26	FALSE
CT		25	FALSE
US		89	FALSE
CT		64	FALSE
RS		35	FALSE
CT		169	TRUE
CT		35	FALSE
CT		14	FALSE
RS		14	FALSE
BD		292	TRUE
US		138	FALSE
US		94	FALSE
US		2	FALSE
CT		26	FALSE
NM		45	FALSE
CT		38	FALSE
RS		148	FALSE
US		63	FALSE
US		95	FALSE
MR		111	FALSE
RS		89	FALSE
US		48	FALSE
CT		66	FALSE
EC		11	FALSE
CT		88	FALSE
CT		25	FALSE
US		9	FALSE
CT		39	FALSE
CT		111	FALSE
CT		155	FALSE
EC		1	FALSE
EC		86	FALSE
CT		29	FALSE
CT		93	FALSE
CT		13	FALSE
RA		7	FALSE
RS		17	FALSE
RS		169	TRUE
DM		5	FALSE
RS		52	FALSE
BD		81	FALSE
CT		34	FALSE

	S. 22		
NM		12	FALSE
CT		27	FALSE
CT		25	FALSE
RS		35	FALSE
RS		8	FALSE
RS		3	FALSE
RA		1	FALSE
CT		255	TRUE
US		81	FALSE
CT		19	FALSE
CT		14	FALSE
RS		1	FALSE
CT		155	FALSE
MR		9	FALSE
CT		38	FALSE
MR		121	FALSE
MR		51	FALSE
CT		95	FALSE
CT		47	FALSE
US		59	FALSE
EC		48	FALSE
RS		14	FALSE
XR		1	FALSE
US		71	FALSE
CT		37	FALSE
CT		27	FALSE
MR		3	FALSE
CT		5	FALSE
RS		24	FALSE
CT		50	FALSE
MM		383	TRUE
CT		141	FALSE
CT		27	FALSE
CT		47	FALSE
RS		35	FALSE
RS		1	FALSE
CT		247	TRUE
US		105	FALSE
CT		31	FALSE
RS		14	FALSE
RS		1	FALSE
CT		96	FALSE
CT		86	FALSE
MR		11	FALSE
MR		37	FALSE
US		121	FALSE

	S. 22		
EC		52	FALSE
NM		219	TRUE
CT		48	FALSE
CT		59	FALSE
RS		55	FALSE
CT		45	FALSE
CT		277	TRUE
BD		5	FALSE
US		75	FALSE
CT		327	TRUE
US		125	FALSE
EC		44	FALSE
CT		66	FALSE
CT		45	FALSE
CT		43	FALSE
CT		27	FALSE
MR		8	FALSE
BD		414	TRUE
CT		27	FALSE
CT		49	FALSE
NM		2	FALSE
DM		284	TRUE
BD		192	TRUE
EC		30	FALSE
CT		95	FALSE
RS		72	FALSE
US		17	FALSE
CT		67	FALSE
RS		38	FALSE
RS		2	FALSE
CT		141	FALSE
CT		14	FALSE
RS		18	FALSE
MM		123	FALSE
RS		35	FALSE
CT		38	FALSE
CT		50	FALSE
RS		4	FALSE
CT		17	FALSE
CT		60	FALSE
NM		27	FALSE
RS		14	FALSE
RS		21	FALSE
RS		23	FALSE
RS		2	FALSE
CT		118	FALSE

	S. 22		
MR		44	FALSE
CT		28	FALSE
US		87	FALSE
CT		50	FALSE
US		140	FALSE
RS		169	TRUE
US		64	FALSE
US		75	FALSE
EC		90	FALSE
US		45	FALSE
RS		50	FALSE
RS		7	FALSE
RS		3	FALSE
EC		291	TRUE
CT		11	FALSE
XR		1	FALSE
NM		33	FALSE
NM		41	FALSE
US		10	FALSE
MR		23	FALSE
RS		4	FALSE
RA		1	FALSE
RS		11	FALSE
CT		375	TRUE
CT		158	FALSE
CT		104	FALSE
CT		139	FALSE
RS		55	FALSE
RS		38	FALSE
CT		72	FALSE
CT		39	FALSE
RS		1	FALSE
XR		3	FALSE
EC		213	TRUE
CT		20	FALSE
CT		20	FALSE
RS		55	FALSE
CT		29	FALSE
RS		6	FALSE
MR		10	FALSE
MR		114	FALSE
BD		72	FALSE
RS		35	FALSE
RS		55	FALSE
CT		50	FALSE
RS		14	FALSE

	S. 22		
CT		68	FALSE
CT		75	FALSE
CT		74	FALSE
US		71	FALSE
RS		38	FALSE
BD		125	FALSE
RS		19	FALSE
CT		74	FALSE
RS		22	FALSE
RS		0	FALSE
CT		119	FALSE
RS		52	FALSE
RS		189	TRUE
US		129	FALSE
CT		10	FALSE
CT		70	FALSE
CT		56	FALSE
RS		52	FALSE
RS		0	FALSE
RS		12	FALSE
CT		27	FALSE
CT		2	FALSE
CT		12	FALSE
MR		9	FALSE
EC		60	FALSE
NM		4	FALSE
CT		94	FALSE
MR		436	TRUE
CT		154	FALSE
CT		136	FALSE
CT		14	FALSE
RS		38	FALSE
NM		8	FALSE
CT		15	FALSE
CT		67	FALSE
US		68	FALSE
CT		4	FALSE
RS		20	FALSE
RS		35	FALSE
EC		7	FALSE
EC		28	FALSE
CT		8	FALSE
MR		360	TRUE
CT		154	FALSE
EC		137	FALSE
US		77	FALSE

	S. 22		
RS		55	FALSE
NM		76	FALSE
CT		8	FALSE
CT		91	FALSE
CT		61	FALSE
MR		16	FALSE
EC		11	FALSE
CT		42	FALSE
CT		10	FALSE
CT		12	FALSE
NM		2	FALSE
RS		91	FALSE
NM		60	FALSE
US		9	FALSE
NM		0	FALSE
MR		98	FALSE
EC		265	TRUE
EC		147	FALSE
RS		4	FALSE
RS		5	FALSE
RS		8	FALSE
RA		3	FALSE
RS		169	TRUE
MR		148	FALSE
CT		65	FALSE
CT		46	FALSE
RS		25	FALSE
DM		218	TRUE
CT		12	FALSE
CT		10	FALSE
CT		6	FALSE
RS		35	FALSE
US		113	FALSE
RS		32	FALSE
RS		9	FALSE
RS		11	FALSE
CT		32	FALSE
US		18	FALSE
MR		48	FALSE
EC		7	FALSE
CT		157	FALSE
CT		84	FALSE
MR		118	FALSE
MR		75	FALSE
MR		69	FALSE
RS		107	FALSE

NM	S. 22	33	FALSE
NM		7	FALSE
RS		17	FALSE
NM		8	FALSE
RS		11	FALSE
RS		17	FALSE
CT		126	FALSE
BD		73	FALSE
CT		52	FALSE
MR		12	FALSE
CT		20	FALSE
CT		13	FALSE
US		1	FALSE
CT		88	FALSE
US		83	FALSE
RS		55	FALSE
CT		41	FALSE
CT		23	FALSE
MR		1	FALSE
CT		25	FALSE
MR		19	FALSE
CT		14	FALSE
CT		30	FALSE
US		162	FALSE
US		2	FALSE
EC		103	FALSE
CT		82	FALSE
CT		55	FALSE
CT		15	FALSE
RS		0	FALSE
US		352	TRUE
US		132	FALSE
BD		119	FALSE
CT		70	FALSE
CT		35	FALSE
CT		49	FALSE
RS		9	FALSE
NM		0	FALSE
RS		18	FALSE
CT		73	FALSE
CT		3	FALSE
NM		0	FALSE
CT		107	FALSE
RS		35	FALSE
CT		35	FALSE
CT		30	FALSE

	S. 22		
CT		55	FALSE
CT		7	FALSE
MR		200	TRUE
NM		11	FALSE
CT		37	FALSE
RS		8	FALSE
RS		32	FALSE
RS		33	FALSE
EC		13	FALSE
XR		51	FALSE
CT		60	FALSE
MR		124	FALSE
BD		96	FALSE
RS		55	FALSE
NM		7	FALSE
MR		50	FALSE
NM		42	FALSE
MR		161	FALSE
MR		25	FALSE
MR		382	TRUE
CT		219	TRUE
EC		149	FALSE
US		60	FALSE
MR		78	FALSE
RS		38	FALSE
MR		25	FALSE
RS		18	FALSE
RS		14	FALSE
RS		17	FALSE
MR		14	FALSE
RS		2	FALSE
MR		71	FALSE
MR		45	FALSE
RS		5	FALSE
CT		17	FALSE
RS		35	FALSE
RS		32	FALSE
DM		53	FALSE
EC		48	FALSE
RS		62	FALSE
CT		31	FALSE
EC		8	FALSE
CT		228	TRUE
CT		523	TRUE
BD		48	FALSE
CT		167	FALSE

	S. 22		
RS		220	TRUE
BD		39	FALSE
CT		103	FALSE
BD		58	FALSE
RS		14	FALSE
CT		19	FALSE
BD		28	FALSE
EC		89	FALSE
US		23	FALSE
CT		8	FALSE
CT		1	FALSE
RS		7	FALSE
BD		35	FALSE
CT		83	FALSE
RS		49	FALSE
CT		49	FALSE
DM		105	FALSE
CT		113	FALSE
CT		46	FALSE
CT		30	FALSE
NM		8	FALSE
RS		10	FALSE
MM		98	FALSE
EC		39	FALSE
CT		41	FALSE
RS		6	FALSE
CT		114	FALSE
RS		35	FALSE
CT		15	FALSE
CT		16	FALSE
MR		49	FALSE
CT		25	FALSE
CT		232	TRUE
EC		44	FALSE
BD		24	FALSE
CT		413	TRUE
US		301	TRUE
US		126	FALSE
CT		170	TRUE
MM		57	FALSE
BD		79	FALSE
BD		80	FALSE
RS		52	FALSE
CT		24	FALSE
RS		6	FALSE
CT		14	FALSE

	S. 22		
RS		1	FALSE
EC		139	FALSE
CT		127	FALSE
US		27	FALSE
MR		3	FALSE
CT		15	FALSE
US		118	FALSE
CT		52	FALSE
CT		24	FALSE
MR		32	FALSE
RS		6	FALSE
CT		67	FALSE
CT		40	FALSE
CT		86	FALSE
RS		38	FALSE
BD		55	FALSE
CT		46	FALSE
US		21	FALSE
RS		11	FALSE
RS		2	FALSE
CT		278	TRUE
RS		97	FALSE
RS		6	FALSE
MR		167	FALSE
CT		155	FALSE
RS		46	FALSE
RS		46	FALSE
CT		21	FALSE
RS		10	FALSE
RS		11	FALSE
RS		2	FALSE
MR		285	TRUE
RS		35	FALSE
CT		32	FALSE
CT		92	FALSE
RS		32	FALSE
US		19	FALSE
RS		13	FALSE
CT		16	FALSE
CT		236	TRUE
MR		47	FALSE
RA		11	FALSE
US		11	FALSE
US		23	FALSE
RS		0	FALSE
CT		11	FALSE

	S. 22		
CT		344	TRUE
CT		210	TRUE
BD		720	TRUE
US		113	FALSE
CT		73	FALSE
MR		30	FALSE
US		17	FALSE
RS		10	FALSE
RS		10	FALSE
MR		2	FALSE
CT		125	FALSE
CT		77	FALSE
US		3	FALSE
RS		6	FALSE
RS		1	FALSE
CT		163	FALSE
US		45	FALSE
CT		84	FALSE
RS		49	FALSE
CT		18	FALSE
CT		7	FALSE
RS		1	FALSE
CT		20	FALSE
EC		116	FALSE
EC		174	TRUE
US		34	FALSE
CT		34	FALSE
CT		70	FALSE
CT		9	FALSE
NM		8	FALSE
RS		1	FALSE
RS		0	FALSE
CT		50	FALSE
US		144	FALSE
CT		111	FALSE
CT		157	FALSE
BD		87	FALSE
CT		6	FALSE
CT		57	FALSE
RS		2	FALSE
RS		35	FALSE
CT		28	FALSE
CT		92	FALSE
US		65	FALSE
CT		10	FALSE
MR		39	FALSE

	S. 22		
MR		41	FALSE
MR		41	FALSE
RS		21	FALSE
CT		16	FALSE
RS		2	FALSE
RS		20	FALSE
CT		148	FALSE
CT		9	FALSE
CT		17	FALSE
CT		16	FALSE
RS		2	FALSE
MR		594	TRUE
CT		20	FALSE
CT		9	FALSE
BD		167	FALSE
MR		41	FALSE
RS		15	FALSE
US		178	TRUE
CT		66	FALSE
US		26	FALSE
MR		37	FALSE
NM		2	FALSE
CT		161	FALSE
CT		2	FALSE
US		46	FALSE
RS		19	FALSE
NM		2	FALSE
CT		168	FALSE
RS		3	FALSE
CT		28	FALSE
CT		41	FALSE
US		23	FALSE
US		8	FALSE
CT		10	FALSE
CT		53	FALSE
CT		26	FALSE
CT		43	FALSE
EC		38	FALSE
RS		2	FALSE
CT		7	FALSE
CT		61	FALSE
RS		5	FALSE
CT		71	FALSE
MR		66	FALSE
CT		6	FALSE
NM		6	FALSE

	S. 22		
NM		0	FALSE
US		154	FALSE
MR		307	TRUE
CT		296	TRUE
RS		24	FALSE
US		19	FALSE
NM		6	FALSE
US		98	FALSE
MR		32	FALSE
EC		18	FALSE
CT		301	TRUE
CT		77	FALSE
CT		116	FALSE
CT		23	FALSE
CT		13	FALSE
EC		32	FALSE
CT		47	FALSE
CT		18	FALSE
RS		3	FALSE
US		191	TRUE
US		98	FALSE
CT		48	FALSE
CT		6	FALSE
CT		36	FALSE
CT		74	FALSE
CT		6	FALSE
RS		0	FALSE
US		182	TRUE
RS		75	FALSE
DM		24	FALSE
US		24	FALSE
CT		16	FALSE
RS		9	FALSE
MR		49	FALSE
DM		53	FALSE
CT		257	TRUE
US		88	FALSE
CT		89	FALSE
US		9	FALSE
RS		2	FALSE
EC		3	FALSE
RS		10	FALSE
RS		5	FALSE
RS		1	FALSE
NM		17	FALSE
CT		7	FALSE

	S. 22		
MR		10	FALSE
MR		3	FALSE
RA		2	FALSE
RA		1	FALSE
CT		131	FALSE
BD		110	FALSE
US		57	FALSE
RS		0	FALSE
CT		928	TRUE
CT		32	FALSE
CT		14	FALSE
CT		80	FALSE
CT		50	FALSE
CT		6	FALSE
CT		20	FALSE
US		115	FALSE
US		123	FALSE
CT		74	FALSE
RS		28	FALSE
MR		158	FALSE
RS		42	FALSE
CT		157	FALSE
US		128	FALSE
CT		59	FALSE
US		52	FALSE
CT		27	FALSE
NM		14	FALSE
CT		83	FALSE
CT		30	FALSE
CT		62	FALSE
NM		14	FALSE
CT		182	TRUE
BD		79	FALSE
CT		139	FALSE
MR		261	TRUE
CT		48	FALSE
US		210	TRUE
EC		86	FALSE
US		9	FALSE
CT		148	FALSE
US		30	FALSE
RS		112	FALSE
CT		14	FALSE
RS		35	FALSE
RS		5	FALSE
BD		19	FALSE

	S. 22		
CT		56	FALSE
CT		9	FALSE
EC		248	TRUE
US		137	FALSE
US		43	FALSE
CT		224	TRUE
CT		175	TRUE
RS		12	FALSE
DM		20	FALSE
RS		21	FALSE
RS		3	FALSE
NM		1	FALSE
CT		91	FALSE
CT		290	TRUE
CT		139	FALSE
CT		113	FALSE
CT		46	FALSE
CT		135	FALSE
MR		91	FALSE
DM		70	FALSE
US		40	FALSE
CT		20	FALSE
RS		7	FALSE
MR		275	TRUE
CT		40	FALSE
US		9	FALSE
RS		1	FALSE
NM		1	FALSE
CT		356	TRUE
RS		173	TRUE
CT		120	FALSE
CT		24	FALSE
RS		11	FALSE
US		98	FALSE
US		7	FALSE
XR		1	FALSE
US		45	FALSE
MR		98	FALSE
CT		53	FALSE
DM		5	FALSE
RS		5	FALSE
BD		384	TRUE
US		37	FALSE
US		22	FALSE
CT		171	TRUE
CT		132	FALSE

	S. 22		
US		27	FALSE
CT		98	FALSE
US		9	FALSE
EC		237	TRUE
BD		80	FALSE
RS		56	FALSE
RS		56	FALSE
EC		260	TRUE
CT		38	FALSE
NM		61	FALSE
CT		26	FALSE
CT		209	TRUE
CT		131	FALSE
BD		85	FALSE
MR		52	FALSE
RS		21	FALSE
CT		147	FALSE
MR		10	FALSE
CT		201	TRUE
MR		74	FALSE
CT		25	FALSE
US		311	TRUE
CT		135	FALSE
CT		26	FALSE
CT		284	TRUE
BD		274	TRUE
CT		209	TRUE
CT		7	FALSE
US		160	FALSE
RS		7	FALSE
NM		4	FALSE
CT		1	FALSE
RS		2	FALSE
CT		37	FALSE
EC		23	FALSE
RS		0	FALSE
EC		113	FALSE
CT		59	FALSE
CT		4	FALSE
CT		73	FALSE
CT		193	TRUE
CT		68	FALSE
US		9	FALSE
US		24	FALSE
RS		70	FALSE
CT		33	FALSE

US	S. 22	12	FALSE
MR		6	FALSE
XR		7	FALSE
CT		251	TRUE
CT		62	FALSE
CT		3	FALSE
US		8	FALSE
US		301	TRUE
BD		159	FALSE
RS		71	FALSE
CT		4	FALSE
EC		7	FALSE
CT		176	TRUE
CT		113	FALSE
NM		40	FALSE
CT		62	FALSE
NM		8	FALSE
RS		16	FALSE
EC		90	FALSE
CT		58	FALSE
BD		66	FALSE
RS		21	FALSE
RS		9	FALSE
CT		26	FALSE
CT		12	FALSE
EC		14	FALSE
RS		0	FALSE
		0	FALSE

Modality Prefix	First Event	Appt Date	Cancel Date	Wait Time(Days)	Wait Time > 168 days
EC	[redacted]	[redacted]	[redacted]	120	FALSE
CT	[redacted]	[redacted]	[redacted]	254	TRUE
RS	[redacted]	[redacted]	[redacted]	16	FALSE
RS	[redacted]	[redacted]	[redacted]	45	FALSE
MR	[redacted]	[redacted]	[redacted]	140	FALSE
CT	[redacted]	[redacted]	[redacted]	30	FALSE
US	[redacted]	[redacted]	[redacted]	245	TRUE
RS	[redacted]	[redacted]	[redacted]	22	FALSE
DM	[redacted]	[redacted]	[redacted]	22	FALSE
EC	[redacted]	[redacted]	[redacted]	23	FALSE
CT	[redacted]	[redacted]	[redacted]	14	FALSE
MR	[redacted]	[redacted]	[redacted]	9	FALSE
MR	[redacted]	[redacted]	[redacted]	142	FALSE
US	[redacted]	[redacted]	[redacted]	9	FALSE
EC	[redacted]	[redacted]	[redacted]	50	FALSE
MR	[redacted]	[redacted]	[redacted]	57	FALSE
MR	[redacted]	[redacted]	[redacted]	57	FALSE
RS	[redacted]	[redacted]	[redacted]	24	FALSE
US	[redacted]	[redacted]	[redacted]	313	TRUE
RS	[redacted]	[redacted]	[redacted]	25	FALSE
US	[redacted]	[redacted]	[redacted]	45	FALSE
CT	[redacted]	[redacted]	[redacted]	46	FALSE
CT	[redacted]	[redacted]	[redacted]	36	FALSE
CT	[redacted]	[redacted]	[redacted]	132	FALSE
RS	[redacted]	[redacted]	[redacted]	13	FALSE
CT	[redacted]	[redacted]	[redacted]	117	FALSE
CT	[redacted]	[redacted]	[redacted]	317	TRUE
US	[redacted]	[redacted]	[redacted]	4	FALSE
CT	[redacted]	[redacted]	[redacted]	75	FALSE
CT	[redacted]	[redacted]	[redacted]	269	TRUE
RS	[redacted]	[redacted]	[redacted]	22	FALSE
RS	[redacted]	[redacted]	[redacted]	28	FALSE
US	[redacted]	[redacted]	[redacted]	195	TRUE
CT	[redacted]	[redacted]	[redacted]	258	TRUE
CT	[redacted]	[redacted]	[redacted]	173	TRUE
MR	[redacted]	[redacted]	[redacted]	11	FALSE
RS	[redacted]	[redacted]	[redacted]	36	FALSE
XR	[redacted]	[redacted]	[redacted]	32	FALSE
CT	[redacted]	[redacted]	[redacted]	152	FALSE
US	[redacted]	[redacted]	[redacted]	30	FALSE
MR	[redacted]	[redacted]	[redacted]	236	TRUE
MR	[redacted]	[redacted]	[redacted]	131	FALSE
EC	[redacted]	[redacted]	[redacted]	17	FALSE
CT	[redacted]	[redacted]	[redacted]	76	FALSE
CT	[redacted]	[redacted]	[redacted]	2	FALSE
XR	[redacted]	[redacted]	[redacted]	35	FALSE
RS	[redacted]	[redacted]	[redacted]	36	FALSE
DM	[redacted]	[redacted]	[redacted]	182	TRUE
RS	[redacted]	[redacted]	[redacted]	29	FALSE
CT	[redacted]	[redacted]	[redacted]	38	FALSE
CT	[redacted]	[redacted]	[redacted]	84	FALSE
RS	[redacted]	[redacted]	[redacted]	36	FALSE
NM	[redacted]	[redacted]	[redacted]	123	FALSE

S. 22

	s.22		
NM		123	FALSE
EC		31	FALSE
MR		181	TRUE
EC		56	FALSE
CT		222	TRUE
RS		14	FALSE
BD		68	FALSE
US		113	FALSE
RS		83	FALSE
FL		217	TRUE
XR		1	FALSE
CT		68	FALSE
MR		362	TRUE
CT		300	TRUE
RS		14	FALSE
CT		7	FALSE
CT		130	FALSE
CT		103	FALSE
US		52	FALSE
CT		144	FALSE
RS		15	FALSE
US		187	TRUE
XR		21	FALSE
EC		124	FALSE
EC		44	FALSE
RS		47	FALSE
EC		34	FALSE
CT		154	FALSE
CT		16	FALSE
US		44	FALSE
RS		8	FALSE
CT		27	FALSE
RS		22	FALSE
RS		26	FALSE
US		143	FALSE
CT		39	FALSE
US		89	FALSE
US		89	FALSE
RS		65	FALSE
CT		3	FALSE
CT		3	FALSE
CT		12	FALSE
RS		49	FALSE
CT		34	FALSE
EC		74	FALSE
CT		65	FALSE
RS		67	FALSE
MR		122	FALSE
US		31	FALSE
EC		21	FALSE
RS		14	FALSE
CT		203	TRUE
MR		334	TRUE
RS		47	FALSE

	S. 22		
MR		181	TRUE
CT		15	FALSE
CT		15	FALSE
CT		18	FALSE
CT		45	FALSE
RS		7	FALSE
CT		8	FALSE
CT		40	FALSE
CT		40	FALSE
MR		55	FALSE
EC		21	FALSE
EC		108	FALSE
RS		1	FALSE
CT		22	FALSE
US		61	FALSE
US		11	FALSE
DM		140	FALSE
CT		114	FALSE
US		190	TRUE
US		47	FALSE
US		8	FALSE
CT		225	TRUE
RS		37	FALSE
US		39	FALSE
RS		9	FALSE
US		1	FALSE
RS		22	FALSE
CT		6	FALSE
CT		237	TRUE
CT		49	FALSE
US		26	FALSE
US		427	TRUE
CT		7	FALSE
CT		90	FALSE
CT		79	FALSE
EC		160	FALSE
RS		13	FALSE
RS		50	FALSE
RS		29	FALSE
RS		3	FALSE
RS		29	FALSE
CT		29	FALSE
EC		80	FALSE
CT		55	FALSE
CT		1	FALSE
MR		150	FALSE
NM		7	FALSE
NM		7	FALSE
CT		142	FALSE
RS		30	FALSE
RS		487	TRUE
RS		26	FALSE
CT		9	FALSE
CT		15	FALSE

US		15	FALSE
MR		52	FALSE
US		95	FALSE
US		215	TRUE
RS		20	FALSE
RS		1	FALSE
US		35	FALSE
CT		319	TRUE
CT		74	FALSE
US		28	FALSE
RS		23	FALSE
XR		15	FALSE
CT		23	FALSE
CT		67	FALSE
CT		23	FALSE
CT		23	FALSE
US		24	FALSE
MR		86	FALSE
CT		146	FALSE
EC		141	FALSE
RS		43	FALSE
RS		5	FALSE
US		20	FALSE
RS		23	FALSE
CT		8	FALSE
CT		412	TRUE
XR		4	FALSE
RS		21	FALSE
CT		22	FALSE
US		88	FALSE
CT		88	FALSE
EC		139	FALSE
US		112	FALSE
RS		33	FALSE
RS		27	FALSE
CT		23	FALSE
RS		49	FALSE
US		32	FALSE
EC		78	FALSE
CT		77	FALSE
US		57	FALSE
US		73	FALSE
RS		23	FALSE
RS		30	FALSE
RS		30	FALSE
MR		199	TRUE
MR		230	TRUE
RS		50	FALSE
US		56	FALSE
US		30	FALSE
CT		64	FALSE
CT		32	FALSE
XR		33	FALSE
NM		29	FALSE

	S. 22		
NM		29	FALSE
NM		18	FALSE
NM		18	FALSE
NM		18	FALSE
CT		16	FALSE
NM		18	FALSE
BD		79	FALSE
CT		233	TRUE
EC		50	FALSE
CT		29	FALSE
CT		3	FALSE
RS		54	FALSE
CT		24	FALSE
CT		5	FALSE
US		50	FALSE
EC		66	FALSE
RS		34	FALSE
CT		48	FALSE
RS		13	FALSE
CT		12	FALSE
CT		234	TRUE
RS		33	FALSE
CT		2	FALSE
EC		178	TRUE
NM		14	FALSE
NM		14	FALSE
RS		94	FALSE
US		67	FALSE
RS		33	FALSE
EC		117	FALSE
FL		21	FALSE
CT		135	FALSE
EC		49	FALSE
RS		21	FALSE
US		62	FALSE
CT		38	FALSE
CT		430	TRUE
XR		211	TRUE
RS		53	FALSE
US		96	FALSE
US		244	TRUE
RS		20	FALSE
CT		129	FALSE
RS		13	FALSE
RS		11	FALSE
EC		58	FALSE
RS		26	FALSE
CT		86	FALSE
CT		182	TRUE
CT		118	FALSE
CT		56	FALSE
RS		12	FALSE
CT		68	FALSE
EC		13	FALSE

US	S. 22	73	FALSE
US		31	FALSE
US		13	FALSE
US		111	FALSE
RS		4	FALSE
EC		167	FALSE
CT		149	FALSE
CT		4	FALSE
CT		70	FALSE
CT		9	FALSE
EC		125	FALSE
MR		224	TRUE
XR		179	TRUE
MR		69	FALSE
MR		69	FALSE
US		191	TRUE
CT		28	FALSE
US		4	FALSE
CT		254	TRUE
US		23	FALSE
US		203	TRUE
US		21	FALSE
CT		7	FALSE
US		34	FALSE
CT		11	FALSE

Surgery Bookings Cancelled due to Patient Death
Fraser Health - Fiscal Year 2025/26

FRASER HEALTH
Surgery Information Systems

This report provides summary counts of bookings for surgery that were cancelled from the FH waitlist during fiscal year 2025/26 (1st Apr 2025 to 31st Mar 2026) due to patient death.

Report date: 2026-05-25
Data source: BC Surgical Patient Registry
Notes:

- These data reflect bookings for surgeries in an operating room. Other areas (such as ambulatory procedure rooms, endoscopy suites, etc) are not reflected here.
- The report covers bookings that were cancelled during the fiscal year. There can be a delay between the patient's death and the booking office being notified to cancel the booking. As such, this is not a direct tally of patients who died during the fiscal year.
- The reported wait time for a cancelled surgery reflects the wait time when the surgery is removed from the waitlist. This is typically longer than the time that the patient had been on the waitlist at the time of death.
- To protect patient confidentiality, data for less common types of surgery are grouped under the row marked with "Other procedures with <10 counts".

Primary procedure	Count	Proportion with wait time > 26w
Cataract Extraction & IOL Implant	59	14%
Arthroplasty Knee Replacement	27	67%
Transurethral Resection Prostate	13	8%
Other procedures with <10 counts	*118*	*19%*
Total	**217**	**23%**